

**A Study of Soil Humic Interactions
with Calcium Phosphate and the
Development of a Novel Method of
Oxygen Isotope Analysis in
Orthophosphate**

Rebeca Alvarez


2005

A thesis submitted to the University of Technology, Sydney in partial fulfilment of the requirements for the degree of Doctor of Philosophy in the Faculty of Science.

CERTIFICATE OF AUTHORSHIP / ORIGINALITY

I certify that this thesis has not previously been submitted for a degree nor has it been submitted as part of requirements for a degree except as fully acknowledged within the text.

I also certify that the thesis has been written by me. Any help that I have received in my research work and the preparation of the thesis itself has been acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis.

A handwritten signature in blue ink, reading "Rebeca Alvarez", is written over a horizontal line.

Rebeca Alvarez

Dedicated in loving memory of

Peter Benson

✿A true inspiration✿

26/2/46 – 26/10/02

ACKNOWLEDGEMENTS

I extend my sincere gratitude to my supervisors, Dr Louise Evans, Professor Mick Wilson and Paul Milham. This thesis has benefited from their varied backgrounds and I have learned a great deal from each of them. I thank them for their guidance, support and wisdom.

I thank the staff at UTS, both past and present. Dr Harry Rose was a great source of inspiration to me when I first commenced my Ph.D. and I am grateful to him for his interest and encouragement. Jim Keegan especially deserves much gratitude, for his training and assistance with mass spectrometry. The staff at the Microstructural Analysis Unit at UTS are thanked for their training in the use of XRD and SEM – Mark Berkahn, Dr Ric Wuhrer and Katie McBean. Gail Grindrod, Dr Norman Booth, Anthea Harris and Alan Barnes are thanked for the use of their equipment and technical advice. I would like to thank Ronald Shimmon for giving his help and advice unselfishly at all times and for sharing his friendship with me.

I acknowledge support given from external sources: Dr Peter Baron from Bruker Australia for use of 400 and 500 MHz NMR instruments. Dr Liz Carter from the University of Sydney is thanked for training in the use of laser Raman. Roy Lawrie from NSW Agriculture is thanked for his helpful discussions on soils and organising the collection of soil samples. The employees of Natural Resources Victoria are thanked for their time in giving us a site tour and for an introduction to the wonders of Endnote. Rachel O'Donohue is thanked for her friendship and for sharing her knowledge in agronomy with me. CSIRO Land and Water are thanked for performing soil mineralogical analyses. Australian National University, Microanalysis Unit are thanked for performing elemental analyses on calcium phosphate products. Dr Gary Hancock of CSIRO is thanked for sharing his knowledge on fluorination procedures for oxygen isotope analyses. David Waters is thanked for his encouragement and for supply of ^{18}O enriched water during a time when there was a world shortage.

My colleagues in the Northern Hemisphere, Drs Clint Sharrad and Simon Pope are thanked for editorial assistance, constructive criticism and encouragement. Professor

Francis Livens, Dr Nick Bryan, Dr Stephen Faulkner, Emmanuelle Chardon and many of my other current colleagues are thanked for their support during the final stages of writing this thesis.

Financial assistance is gratefully acknowledged from the following sources: UTS Faculty of Science Scholarship, UTS Vice-Chancellor's Conference Fund, UTS Thesis Equity Completion Grant, Australian Research Council SPIRT grant, and NSW Agriculture.

I would like to thank my fellow Ph.D. students (too numerous to mention – but they know who they are!). In future, I will fondly remember sharing friendship, knowledge and pub-time with them.

Without reservation, I would like to thank my family and friends who have accompanied me during my “Ph.D. journey” and shared with me both the successes and failures. I would like to thank my parents and my sister, Marina for their incessant love, support and encouragement in absolutely every possible way. Kevin is sincerely thanked for all the support he has shown me, especially when it had anything to do with computers!

A great deal of gratitude is owed to my fiancé, Dr Stephen Sestak who has shown, in countless ways, the meaning of encouragement and support. I thank him for believing in me and for his inspiration, constant encouragement and love.

ABSTRACT

There is increasing interest in limiting quantities of applied phosphorus fertilizer both for economic reasons and for environmental protection purposes and in facilitating the release of normally unavailable phosphorus for plant growth. The work presented in this thesis seeks to identify and understand some of the chemical reactions that occur between phosphate, calcium and soil humic acids. In addition, a novel electrospray ionisation mass spectrometric (ESI-MS) analytical method, which measures both highly enriched and natural abundance levels of oxygen isotopes in orthophosphate-soil systems, was developed and validated. The significance of this novel method is in its capability to provide an accurate, simple and sensitive means of tracing the sources and sinks of phosphate in soils as well as enabling an effective way to follow chemical reactions and their mechanisms.

In soils, most of the phosphorus from fertilizers, if not washed away in runoff water, is converted to insoluble compounds, including calcium phosphates. Soil organic acids such as humic and fulvic acids may play an important role in influencing inorganic phosphate availability to plants by inhibiting the formation of thermodynamically stable calcium phosphates. Therefore, this work examines the formation of calcium phosphate phases in the presence of humic and fulvic acids extracted from soil sourced from the Sydney Basin in NSW, Australia. The combined techniques of pH-stat autotitration, Fourier transform infrared and laser Raman spectroscopy, as well as x-ray diffraction and elemental analyses facilitated this study.

At 25°C under conditions of high supersaturation and a pH of 7.4 humic materials were found to delay calcium phosphate phase transformation processes. Under these conditions there was a delayed transformation of unstable amorphous calcium phosphate (ACP) to thermodynamically more stable octacalcium phosphate (OCP) and thence to an apatitic phase resembling poorly crystalline hydroxyapatite (HAp). Investigations at the lower pH of 5.7, and in the presence of humic acids, revealed that ACP was also precipitated initially, however humic-free solutions at this pH produced the metastable phase, dicalcium phosphate dihydrate (DCPD). ACP produced in the presence of humic materials persisted longer than DCPD in their absence, before ultimately hydrolyzing to

OCP. Thus these results confirm that humic materials are geologically relevant inhibitors of calcium phosphate transformations and modify the availability of phosphate in soils by changing crystallisation behaviour from solution.

The work presented here also aimed to study phosphate reactions in soil environments with the use of stable oxygen isotope labelling (^{18}O) to monitor the change in orthophosphate oxygen isotopic distributions under acidic soil conditions. Current methods for determining oxygen isotope analysis in phosphate involve either lengthy procedures for conversion of the phosphate to carbon monoxide/dioxide, are insensitive, or are not amenable to rapid automated analyses. The ESI-MS analytical method developed in this thesis is rapid and can be readily applied to calcium phosphate materials, which are normally not amenable to this type of analysis.

Humic-induced oxygen exchange was not detectable in ^{18}O enriched calcium phosphate products that had been precipitated at pH 5.7 from solutions at 25 °C or 80 °C. Furnace temperatures of 600 °C caused the solid-state delabelling of calcium phosphate products in the absence of soil humic material, however, delabelling was accentuated in its presence. The furnace-induced delabelling was also evident when KH_2PO_4 (solid) was subjected to the same conditions. The implications of these results are discussed in terms of the importance of considering extreme heat conditions, for example in the case of forest or bush fires or volcanic conditions, when assessing oxygen exchange processes that occur in terrestrial environments.

PUBLICATIONS

The work presented in this thesis has resulted in the following publications:

Alvarez, R., Evans, L.A., Milham, P.J. and Wilson, M.A., 2004. Effects of humic material on the precipitation of calcium phosphate. *Geoderma*, **118**: 245-260.

Alvarez, R., Evans, L.A., Milham, P. and Wilson, M.A., 2000. Analysis of oxygen-18 in orthophosphate by electrospray ionization mass spectrometry. *International Journal of Mass Spectrometry*, **203**: 177-186.

Alvarez, R., Evans, L.A., Milham, P.J. and Wilson, M.A., (in preparation). High temperature oxygen exchange in orthophosphates in geological systems. *Geoderma*.

TABLE OF CONTENTS

CERTIFICATE OF AUTHORSHIP / ORIGINALITY	I
ACKNOWLEDGEMENTS	III
ABSTRACT	V
PUBLICATIONS.....	VII
TABLE OF CONTENTS.....	VIII
LIST OF FIGURES.....	XII
LIST OF TABLES	XVII
CHAPTER 1 GENERAL INTRODUCTION.....	1-1
1.1 PHOSPHORUS AND ITS ROLE IN NATURE.....	1-1
1.2 PHOSPHORUS FERTILIZERS	1-2
1.3 PHOSPHORUS IN SOILS	1-3
1.4 THE CHEMISTRY OF PHOSPHATES.....	1-4
1.4.1 CALCIUM PHOSPHATES	1-5
<i>APATITE (Ap) AND HYDROXYAPATITE (HAp)</i>	1-8
<i>OCTACALCIUM PHOSPHATE (OCP)</i>	1-9
<i>DICALCIUM PHOSPHATE DIHYDRATE (DCPD)</i>	1-10
<i>AMORPHOUS CALCIUM PHOSPHATE (ACP)</i>	1-11
1.5 SOIL ORGANIC MATTER.....	1-12
1.5.1 HUMIC SUBSTANCES	1-12
<i>ISOLATION FROM SOIL</i>	1-16
<i>CHARACTERISATION OF HUMIC SUBSTANCES</i>	1-16
<i>BINDING OF METAL IONS</i>	1-17
<i>HUMIC SUBSTANCES AND PHOSPHATES</i>	1-17
1.6 THESIS STRUCTURE	1-18
CHAPTER 2 SOIL HUMIC AND FULVIC MATERIALS AFFECTING CALCIUM PHOSPHATE	
CRYSTALLISATION PROCESSES	2-1
2.1 INTRODUCTION.....	2-1
2.2 MATERIALS AND METHODS	2-3
2.2.1 SOIL PROFILE AND SAMPLING	2-3
2.2.2 HUMIC EXTRACTION	2-3
2.2.3 HUMIC CHARACTERISATION.....	2-4
2.2.4 CALCIUM PHOSPHATE REFERENCE MATERIALS	2-6
2.2.5 CALCIUM PHOSPHATE PRECIPITATION (PH-STAT) EXPERIMENTS	2-6
2.2.6 MONITORING/CHARACTERISATION OF CALCIUM PHOSPHATE PRECIPITATES.....	2-7
2.3 RESULTS.....	2-8
2.3.1 HUMIC CHARACTERISATION.....	2-8

2.3.2	TITRATION CURVES	2-11
2.3.3	FTIR CHARACTERISATION OF CALCIUM PHOSPHATE PRECIPITATES	2-14
2.3.4	XRD CHARACTERISATION OF CALCIUM PHOSPHATE PRECIPITATES	2-20
2.3.5	LASER RAMAN SPECTROSCOPY OF CALCIUM PHOSPHATE PRECIPITATES.....	2-26
2.3.6	CA/P RATIOS OF CALCIUM PHOSPHATE PRECIPITATES.....	2-29
2.4	DISCUSSION.....	2-31
2.5	CONCLUSIONS	2-35
CHAPTER 3 OXYGEN ISOTOPES OF PHOSPHATE: AN IMPORTANT TOOL IN GEOCHEMISTRY		3-1
3.1	TRACING PHOSPHATES IN THE ENVIRONMENT USING ISOTOPES	3-1
3.1.1	ISOTOPE EFFECTS.....	3-2
3.1.2	ISOTOPE FRACTIONATION AND OXYGEN ISOTOPIC SIGNATURES	3-2
	<i>FRACTIONATION FACTOR</i>	3-4
	<i>STANDARDS</i>	3-4
3.1.3	OXYGEN ISOTOPE EXCHANGE REACTIONS BETWEEN PHOSPHATE AND WATER	3-6
3.1.4	MECHANISM OF OXYGEN EXCHANGE	3-7
3.2	STUDIES OF OXYGEN ISOTOPE RATIOS OF PHOSPHATE	3-9
3.3	MEASURING OXYGEN ISOTOPE RATIOS	3-11
CHAPTER 4 DEVELOPMENT OF AN ELECTROSPRAY IONISATION MASS SPECTROMETRIC METHOD TO ANALYSE ¹⁸O LABELLED ORTHOPHOSPHATE.....		4-1
4.1	INTRODUCTION.....	4-1
4.1.1	ELECTROSPRAY IONISATION MASS SPECTROMETRY (ESI-MS).....	4-1
4.1.2	DETERMINATION OF ORTHOPHOSPHATE AND METAPHOSPHATE ANIONS	4-3
4.2	MATERIALS AND METHODS.....	4-7
4.2.1	SYNTHESIS OF NATURAL ABUNDANCE AND ¹⁸ O ENRICHED POTASSIUM DIHYDROGEN ORTHOPHOSPHATE.....	4-7
4.2.2	ESI-MS OF ORTHOPHOSPHATES	4-8
4.2.3	NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY (³¹ P NMR).....	4-10
4.3	RESULTS.....	4-10
4.3.1	NATURAL ABUNDANCE EXPERIMENTS.....	4-12
	<i>CALIBRATIONS: H₂P¹⁶O₄⁻ (M/Z 97) AND P¹⁶O₃⁻ (M/Z 79)</i>	4-12
	<i>CALIBRATIONS: H₂P¹⁶O₃¹⁸O⁻ (M/Z 99) AND P¹⁶O₂¹⁸O⁻ (M/Z 81)</i>	4-13
	<i>RELATIONSHIP BETWEEN H₂P¹⁶O₃¹⁸O⁻ (M/Z 99) AND H₂P¹⁶O₄⁻ (M/Z 97)</i>	4-15
	<i>RELATIONSHIP BETWEEN H₂P¹⁶O₄⁻ (M/Z 97) AND P¹⁶O₃⁻ (M/Z 79)</i>	4-16
4.3.2	ENRICHED EXPERIMENTS	4-16
	<i>ORTHOPHOSPHATE ISOTOPOMERS (M/Z 97, 99, 101, 103 AND 105)</i>	4-17
	<i>METAPHOSPHATE ISOTOPOMERS (M/Z 79, 81, 83 AND 85)</i>	4-18
	<i>RELATIONSHIP BETWEEN ORTHOPHOSPHATE AND METAPHOSPHATE ANIONS</i>	4-18
4.3.3	OXYGEN EXCHANGE IN THE MASS SPECTROMETER.....	4-20
4.3.4	COMPARISON WITH NMR ANALYSIS.....	4-20
4.3.5	DETECTION LIMITS, QUANTITATION LIMITS AND REPEATABILITY.....	4-24

4.4	DISCUSSION	4-24
4.4.1	QUALITATIVE ANALYSIS	4-24
4.4.2	QUANTITATIVE ANALYSIS	4-25
	<i>NON-LINEAR BEHAVIOUR</i>	4-25
	<i>EXCLUSION OF EQUILIBRIUM</i>	4-26
4.4.3	QUANTITATION OF OXYGEN ISOTOPE DISTRIBUTIONS OF ORTHOPHOSPHATE	4-28
4.5	CONCLUSIONS	4-30
CHAPTER 5 VALIDATION OF THE NOVEL ESI-MS METHOD FOR THE QUANTITATIVE		
DETERMINATION OF THE OXYGEN ISOTOPIC ENRICHMENT IN ORTHOPHOSPHATE 5-1		
5.1	INTRODUCTION	5-1
5.1.1	ACCURACY	5-2
	<i>STANDARD ADDITION</i>	5-3
5.1.2	LIMIT OF DETECTION AND LIMIT OF QUANTITATION	5-3
5.1.3	PRECISION	5-4
	<i>REPEATABILITY</i>	5-4
	<i>INTERMEDIATE PRECISION</i>	5-4
	<i>REPRODUCIBILITY</i>	5-4
5.1.4	LINEARITY AND RANGE	5-4
5.1.5	ROBUSTNESS	5-5
5.1.6	SPECIFICITY	5-5
5.1.7	SENSITIVITY	5-5
5.2	MATERIALS AND METHODS	5-6
5.2.1	SYNTHESIS OF ^{18}O ENRICHED POTASSIUM DIHYDROGEN ORTHOPHOSPHATE	5-6
5.2.2	NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY (^{31}P NMR)	5-6
5.2.3	ELECTROSPRAY IONISATION MASS SPECTROMETRY (ESI-MS)	5-6
5.2.4	DATA TREATMENT	5-7
5.2.5	MIXED ^{18}O ENRICHMENT EXPERIMENTS	5-10
5.3	RESULTS	5-10
5.3.1	NMR ANALYSIS	5-10
5.3.2	ESI-MS ANALYSIS OF MIXED ^{18}O ENRICHMENT EXPERIMENTS – ORTHOPHOSPHATE	5-12
	<i>LIMITS OF DETECTION AND QUANTITATION – ORTHOPHOSPHATE</i>	5-12
	<i>ACCURACY – ORTHOPHOSPHATE</i>	5-13
	<i>LINEARITY AND RANGE – ORTHOPHOSPHATE</i>	5-15
	<i>PRECISION – ORTHOPHOSPHATE</i>	5-22
	<i>INTERMEDIATE PRECISION – ORTHOPHOSPHATE</i>	5-23
	<i>SENSITIVITY – ORTHOPHOSPHATE</i>	5-24
5.3.3	ESI-MS ANALYSIS OF MIXED ^{18}O ENRICHMENT EXPERIMENTS – METAPHOSPHATE	5-24
	<i>LIMITS OF DETECTION AND LIMITS OF QUANTITATION – METAPHOSPHATE</i>	5-24
	<i>ACCURACY - METAPHOSPHATE</i>	5-26
	<i>LINEARITY AND RANGE - METAPHOSPHATE</i>	5-27

PRECISION – METAPHOSPHATE.....	5-30
INTERMEDIATE PRECISION – METAPHOSPHATE	5-30
SENSITIVITY - METAPHOSPHATE	5-31
ORTHOPHOSPHATE AND METAPHOSPHATE RELATIONS.....	5-31
5.4 DISCUSSION.....	5-33
5.4.1 ORTHOPHOSPHATE.....	5-33
5.4.2 METAPHOSPHATE.....	5-37
5.4.3 ORTHOPHOSPHATE AND METAPHOSPHATE RELATIONS	5-38
5.4.4 COMPARISON WITH OTHER METHODS.....	5-39
5.5 CONCLUSIONS	5-39
CHAPTER 6 THE MONITORING OF OXYGEN EXCHANGE IN CALCIUM PHOSPHATE-HUMIC/FULVIC	
SYSTEMS USING NEWLY DEVELOPED ELECTROSPRAY IONISATION MASS SPECTROMETRIC	
TECHNIQUES	6-1
6.1 INTRODUCTION.....	6-1
6.2 MATERIALS AND METHODS	6-1
6.2.1 CALCIUM PHOSPHATE PRECIPITATION (PH-STAT) EXPERIMENTS (¹⁸ O ENRICHED).....	6-1
6.2.2 ACID DIGESTION OF CALCIUM PHOSPHATES	6-2
6.2.3 FURNACE TREATMENTS	6-3
6.2.4 ELECTROSPRAY IONISATION MASS SPECTROMETRY (ESI-MS).....	6-4
6.3 RESULTS.....	6-5
6.3.1 MASS SPECTROMETRY	6-7
POTASSIUM PHOSPHATE REFERENCE MATERIALS.....	6-7
DIGESTED CALCIUM PHOSPHATES	6-10
FREEZE-DRIED FILTRATES	6-11
6.3.2 FURNACE EXPERIMENTS	6-14
6.3.3 % ¹⁸ O ENRICHMENT IN ORTHOPHOSPHATE	6-14
POTASSIUM PHOSPHATE REFERENCE MATERIALS.....	6-14
DIGESTED CALCIUM PHOSPHATES	6-15
FREEZE-DRIED FILTRATES	6-19
6.4 DISCUSSION.....	6-20
6.4.1 ASSESSMENT OF THE ANALYTICAL METHOD.....	6-20
6.4.2 LACK OF OXYGEN EXCHANGE DURING PRECIPITATION EXPERIMENTS	6-20
6.4.3 HIGH TEMPERATURE EFFECTS	6-22
6.5 CONCLUSIONS	6-25
CHAPTER 7 CONCLUDING REMARKS AND RECOMMENDATIONS	7-1
REFERENCES	R-1

LIST OF FIGURES

Figure 1.1 Phosphorus cycle in soil	1-3
Figure 1.2 Phase diagram showing concentrations of saturated solutions as a function of pH for several calcium phosphates at 25°C in the ternary system, $\text{Ca}(\text{OH})_2\text{--H}_3\text{PO}_4\text{--H}_2\text{O}$ [17]. Note that the formula for HAp given on the graph is the general formula comprising half the atoms in the unit cell.	1-6
Figure 1.3 Structure of the hexagonal apatite unit cell, showing the position of the hydroxy (or fluoride) anions in the <i>c</i> -direction into the plane of the paper [O = red, Ca = green, P = yellow, F(OH) = pale blue] [23]	1-9
Figure 1.4 One unit cell of OCP along <i>a</i> axis [17]	1-10
Figure 1.5 View down the <i>b</i> -axis of one of the corrugated sheets of composition CaHPO_4 that occur in DCPD [11]	1-11
Figure 1.6 "Typical" model structure of soil humic acid [24]	1-14
Figure 1.7 "Typical" model structure of soil fulvic acid [24]	1-14
Figure 1.8 Two-dimensional model structure of soil humic acid [24]	1-15
Figure 2.1 ^1H NMR spectrum of soil humic material showing tetramethylsilane (TMS) and water peak assignments	2-9
Figure 2.2 ^{13}C CP-MAS NMR spectrum of soil humic material	2-9
Figure 2.3 Typical titration curves showing the moles of 0.4 M KOH added to maintain pH 7.4 whilst calcium phosphate was precipitated in the (i) absence and (ii) presence of humic material. Error bars were calculated using the standard error of the mean of up to four replicate experiments and show the greatest variation during rapid base consumption	2-12
Figure 2.4 Typical titration curves showing the moles of 0.4 M KOH added to maintain pH 5.7 whilst calcium phosphate was precipitated in the (i) absence and (ii) presence of humic material. Error bars were calculated using the standard error of the mean of up to six replicate experiments and show the greatest variation during rapid base consumption	2-14
Figure 2.5 Fourier transform infrared spectra of calcium phosphates precipitated at pH 7.4 in the absence of humic material at various times are shown together with OCP and stoichiometric high temperature HAp reference materials	2-15
Figure 2.6 Fourier transform infrared spectra of calcium phosphates precipitated at pH 7.4 in the presence of humic material at various times are shown together with OCP and stoichiometric high temperature HAp reference materials, humic material and humic material titrated to pH 7.4 (humic salt)	2-17
Figure 2.7 Fourier transform infrared spectra of calcium phosphates precipitated at pH 5.7 in the absence of humic material at various times are shown together with DCPD, OCP and stoichiometric high temperature HAp reference materials	2-18

Figure 2.8 Fourier transform infrared spectra of calcium phosphates precipitated at pH 5.7 in the presence of humic material at various times are shown together with OCP and stoichiometric high temperature HAp reference materials, humic material and humic material titrated to pH 5.7 (humic salt)	2-19
Figure 2.9 Expanded x-ray diffraction spectra of calcium phosphates precipitated at pH 7.4 in the absence of humic material at various times are shown together with OCP and stoichiometric high temperature HAp reference materials. Note the gradual decrease with time in the diffraction angle of the 002 reflection, approaching that of HAp (shown by the dotted line).....	2-21
Figure 2.10 Expanded x-ray diffraction spectra of calcium phosphates precipitated at pH 7.4 in the presence of humic material at various times are shown together with OCP and stoichiometric high temperature HAp reference materials, humic material and humic material titrated to pH 7.4 (humic salt). Note the gradual decrease with time in the diffraction angle of the 002 reflection, approaching that of HAp (shown by the dotted line)	2-22
Figure 2.11 Expanded x-ray diffraction spectra of calcium phosphates precipitated at pH 5.7 in the absence of humic material at various times are shown together with DCPD, OCP and stoichiometric high temperature HAp reference materials. Note that in all pH 5.7 products the diffraction angle of the 002 reflection is offset from that of HAp (shown by the dotted line) and more closely matches that of OCP (labelled as "O")	2-24
Figure 2.12 Expanded x-ray diffraction spectra of calcium phosphates precipitated at pH 5.7 in the presence of humic material at various times are shown together with OCP and stoichiometric high temperature HAp reference materials, humic material and humic material titrated to pH 5.7 (humic salt). Note that in all pH 5.7 products the diffraction angle of the 002 reflection is offset from that of HAp (shown by the dotted line) and more closely matches that of OCP (labelled as "O").....	2-25
Figure 2.13 Laser Raman spectra of calcium phosphates precipitated at pH 7.4 in the absence of humic material at various times are shown together with OCP and stoichiometric high temperature HAp reference materials. The $\text{PO}_4 \nu_1$ stretching modes are labelled	2-27
Figure 2.14 Laser Raman spectra of calcium phosphates precipitated at pH 5.7 in the absence of humic material at various times are shown together with DCPD, OCP and stoichiometric high temperature HAp reference materials. The $\text{PO}_4 \nu_1$ stretching modes are labelled.....	2-28
Figure 3.1 Proposed mechanism of oxygen exchange between orthophosphate and water (taken from [101]).....	3-8
Figure 3.2 Structure of trivalent orthophosphate anion showing resonance	3-9
Figure 3.3 Isotopomers (or isotopomeric anions) of orthophosphate.....	3-11
Figure 4.1 The electrospray ionisation process (adapted from [141]).....	4-2
Figure 4.2 ESI-MS spectrum of natural abundance potassium dihydrogen orthophosphate solution (1,000 ppm). The metaphosphate anion is observed at m/z 79 and m/z 97 corresponds to the orthophosphate anion.....	4-11

Figure 4.3	ESI-MS spectrum of ^{18}O enriched potassium dihydrogen orthophosphate solution (1,000 ppm). The metaphosphate isotopomers are observed at m/z 79-85, and orthophosphate isotopomers are observed at m/z 97-105, in order of increasing ^{18}O substitution.....	4-11
Figure 4.4	Calibration curve showing $\text{H}_2\text{P}^{16}\text{O}_4^-$ abundance versus concentration of synthesised KH_2PO_4 solutions obtained using mean peak areas of ESI-MS ion chromatograms. Error bars have been calculated as standard errors of the mean of six measurements at each concentration	4-12
Figure 4.5	Calibration curve showing $\text{P}^{16}\text{O}_3^-$ abundance versus concentration of synthesised KH_2PO_4 solutions obtained using mean peak areas of ESI-MS ion chromatograms. Error bars have been calculated as standard errors of the mean of six measurements at each concentration	4-13
Figure 4.6	Calibration curve showing $\text{P}^{16}\text{O}_2^{18}\text{O}^-$ natural abundance versus concentration of commercial KH_2PO_4 solutions obtained using mean peak areas of ESI-MS ion chromatograms. Error bars have been calculated as standard errors of the mean of six measurements at each concentration.....	4-14
Figure 4.7	Calibration curve showing $\text{H}_2\text{P}^{16}\text{O}_3^{18}\text{O}^-$ natural abundance versus concentration of commercial KH_2PO_4 solutions obtained using mean peak areas of ESI-MS ion chromatograms. Error bars have been calculated as standard errors of the mean of six measurements at each concentration.....	4-14
Figure 4.8	Graph of $\text{H}_2\text{P}^{16}\text{O}_3^{18}\text{O}^-$ versus $\text{H}_2\text{P}^{16}\text{O}_4^-$ abundances using mean peak areas of ESI-MS ion chromatograms. Error bars have been calculated as standard errors of the mean of six measurements at each concentration.....	4-15
Figure 4.9	Graph of $\text{H}_2\text{P}^{16}\text{O}_4^-$ versus $\text{P}^{16}\text{O}_3^-$ using mean peak areas of ESI-MS ion chromatograms. Error bars have been calculated as standard errors of the mean of six measurements at each concentration	4-16
Figure 4.10	Calibration curve showing H_2PO_4^- abundance versus concentration of ^{18}O enriched KH_2PO_4 solutions showing the various species substituted with three, two, four, one and zero ^{18}O isotope labels on the phosphorus atom. Error bars have been calculated as standard errors of the mean of six measurements at each concentration	4-17
Figure 4.11	Calibration curve showing PO_3^- abundance versus concentration of ^{18}O enriched KH_2PO_4 solutions showing the various species substituted with two, three and one ^{18}O isotope label on the phosphorus atom. Error bars have been calculated as standard errors of the mean of six measurements at each concentration. Values on the y-axis have been omitted for clarity.....	4-18
Figure 4.12	Graph of $\text{P}^{16}\text{O}_2^{18}\text{O}^-$ and $\text{P}^{16}\text{O}_3^-$ versus $\text{H}_2\text{P}^{16}\text{O}_3^{18}\text{O}^-$ showing linear relationships. Error bars have been calculated as standard errors of the mean of six measurements at each concentration .	4-19
Figure 4.13	Graph of $\text{P}^{16}\text{O}^{18}\text{O}_2^-$ and $\text{P}^{16}\text{O}_2^{18}\text{O}^-$ versus $\text{H}_2\text{P}^{16}\text{O}_2^{18}\text{O}_2^-$ show linear relationships. Error bars have been calculated as standard errors of the mean of six measurements at each concentration .	4-19
Figure 4.14	Graph of $\text{P}^{16}\text{O}^{18}\text{O}_2^-$ and $\text{P}^{18}\text{O}_3^-$ versus $\text{H}_2\text{P}^{16}\text{O}^{18}\text{O}_3^-$ showing linear relationships. Error bars have been calculated as standard errors of the mean of six measurements at each concentration .	4-20
Figure 4.15	^{31}P NMR solution spectrum of ^{18}O enriched orthophosphate. The variously labelled H_2PO_4^- groups are shown	4-21

Figure 4.16 Graph showing the close correlation between the data obtained by ^{31}P NMR and ESI-MS techniques. Data show percentage relative abundances of the various ^{18}O labelled species. Differences between the percentage relative abundances obtained by the two techniques have been shown for each labelled species (Δ).....	4-22
Figure 5.1 ^{31}P solution NMR spectrum of ^{18}O enriched KH_2PO_4	5-11
Figure 5.2 Relationship between isotopomer % relative abundance and the % ^{18}O enrichment in orthophosphate	5-14
Figure 5.3 Standard addition plot for orthophosphate using mixed ^{18}O enrichment experiments where x mL of 1007 ppm of ^{18}O enriched KH_2PO_4 was added to a solution containing $(1-x)$ mL of natural abundance KH_2PO_4 and diluted to 10.00 mL	5-15
Figure 5.4 Residuals analysis of % ^{18}O enrichment in orthophosphate versus volume of KH_2PO_4 solution	5-16
Figure 5.5 Transformed standard addition plot for orthophosphate using mixed ^{18}O enrichment experiments showing the whole measured range	5-17
Figure 5.6 Transformed standard addition plot for orthophosphate using mixed ^{18}O enrichment experiments.....	5-18
Figure 5.7 Residuals analysis of transformed standard addition plot for orthophosphate	5-18
Figure 5.8 Repeat analysis: standard addition plot for orthophosphate using mixed ^{18}O enrichment experiments.....	5-19
Figure 5.9 Repeat analysis: residuals analysis of % ^{18}O enrichment in orthophosphate versus volume..	5-20
Figure 5.10 Repeat analysis: transformed standard addition plot for orthophosphate using mixed ^{18}O enrichment experiments showing the whole measured range	5-20
Figure 5.11 Repeat analysis: transformed standard addition plot for orthophosphate using mixed ^{18}O enrichment experiments and showing the linear range	5-21
Figure 5.12 Repeat analysis: residuals analysis of transformed standard addition plot for orthophosphate showing the linear range	5-22
Figure 5.13 Plot of % relative abundance of metaphosphate isotopomers against % ^{18}O enrichment in orthophosphate solution.....	5-26
Figure 5.14 Standard addition plot for metaphosphate using mixed ^{18}O enrichment experiments where x mL of 1007 ppm of ^{18}O enriched KH_2PO_4 was added to a solution containing $(1-x)$ mL of natural abundance KH_2PO_4 and diluted to 10.00 mL	5-27
Figure 5.15 Residual analysis plot of % ^{18}O enrichment in metaphosphate from mixed enrichment experiments.....	5-28
Figure 5.16 Repeat analysis: standard addition plot for metaphosphate using mixed ^{18}O enrichment experiments.....	5-29
Figure 5.17 Repeat analysis: residual analysis plot of % ^{18}O enrichment in metaphosphate from mixed enrichment experiments.....	5-29

Figure 5.18 $\%^{18}\text{O}$ enrichment responses for orthophosphate versus metaphosphate in mixed enrichment experiments. The dotted plot corresponds to the response predicted when the dilutions of the “unmixed” sample (high ^{18}O enrichment) are extrapolated linearly to zero	5-32
Figure 5.19 Repeat analysis: $\%^{18}\text{O}$ enrichment responses for orthophosphate versus metaphosphate in mixed enrichment experiments	5-33
Figure 6.1 Schematic of experimental procedures involved in the acid digestion of calcium phosphate products	6-3
Figure 6.2 ESI-MS spectrum of 1000 ppm undigested natural abundance KH_2PO_4 (bottom) shown with the background (middle) and the total ion chromatogram (TIC)(top)	6-8
Figure 6.3 ESI-MS spectrum of 1000 ppm undigested ^{18}O enriched KH_2PO_4 (bottom) shown with the background (middle) and the total ion chromatogram (TIC)(top)	6-8
Figure 6.4 ESI-MS spectrum of 1070 ppm digested ^{18}O enriched KH_2PO_4 (bottom) shown with the background (middle) and the total ion chromatogram (TIC)(top)	6-10
Figure 6.5 ESI-MS spectrum of freeze-dried filtrate sample, “8*KP” (bottom) shown with the background (middle) and the total ion chromatogram (TIC)(top).....	6-12
Figure 6.6 ESI-MS spectrum of freeze-dried filtrate sample, “3*KP” (bottom) shown with the background (middle) and the total ion chromatogram (TIC)(top).....	6-13
Figure 6.7 Effects of furnace treatment of KH_2PO_4 on the relative abundances of orthophosphate isotopomer responses with and without humic material	6-15
Figure 6.8 Effects of charring (5*CaP_ch) and furnace treatment (5*CaP_f) on the relative abundances of orthophosphate isotopomer responses from digested calcium phosphate (5*CaP) synthesised in the presence of humic material at 25°C after a reaction time of 90 seconds	6-16
Figure 6.9 Effects of charring on the relative abundances of orthophosphate isotopomer responses from digested calcium phosphate samples (8*CaP and 8*CaP_ch) synthesised in the presence of humic material at 80°C after a reaction time of 8 hours	6-17
Figure 6.10 Effects of furnace treatment (4*CaP_f) on the relative abundances of orthophosphate isotopomer responses from digested calcium phosphate (4*CaP) synthesised in the absence of humic material at 25°C after a reaction time of 90 seconds	6-18
Figure 6.11 Comparison of furnace treated products synthesised in the presence (front: 5*CaP_f) and absence of humic material (rear: 4*CaP_f) at 25°C after a reaction time of 90 seconds.....	6-19

LIST OF TABLES

Table 1.1 Major phosphate fertilizers (adapted from [2]).....	1-3
Table 1.2 Calcium phosphate compounds.....	1-7
Table 1.3 Fractions of humic substances.....	1-13
Table 2.1 Characterisation of humic material	2-10
Table 2.2 Calcium to phosphorus ratios of selected products	2-30
Table 4.1 Masses of the major ions predicted in the gas phase from potassium orthophosphate solutions...	4-6
Table 4.2 ESI-MS operating voltages in negative ion mode	4-9
Table 4.3 Statistical data on the distributions obtained <i>via</i> ESI-MS and NMR	4-22
Table 4.4 Calculations giving % ¹⁸ O enrichment in orthophosphate sample <i>via</i> ESI-MS analysis.	4-23
Table 4.5 Calculations giving % ¹⁸ O enrichment in orthophosphate sample <i>via</i> ³¹ P NMR analysis	4-23
Table 5.1 ESI-MS operating voltages in negative ion mode for validation experiments	5-7
Table 5.2 Sequence of calculations involved in obtaining relative isotopomeric % abundances and % ¹⁸ O enrichment of orthophosphate ions measured by ESI-MS.....	5-9
Table 5.3 Relative isotopic distribution of unmixed ¹⁸ O enriched KH ₂ PO ₄ measured by ³¹ P solution NMR	5-11
Table 5.4 % Relative abundance of orthophosphate isotopomers in mixed ¹⁸ O enrichment experiments.....	5-12
Table 5.5 Limits of detection and quantitation for each isotopomer in % relative abundance at orthophosphate concentrations of 100.5 ± 0.2 ppm.....	5-13
Table 5.6 Accuracy when determining % relative abundance values for orthophosphate isotopomers .	5-14
Table 5.7 Repeatability parameters obtained at the LOQ for responses of orthophosphate isotopomeric anions	5-23
Table 5.8 % Relative abundance of metaphosphate isotopomers in mixed ¹⁸ O enrichment experiments	5-25
Table 5.9 Limits of detection and limits of quantitation for each metaphosphate isotopomer in % relative abundance at orthophosphate concentrations of 100.5 ± 0.2 ppm	5-25
Table 5.10 Repeatability parameters obtained at the LOQ for responses of metaphosphate isotopomeric anions	5-30
Table 6.1 Phosphate sample characteristics and their corresponding % ¹⁸ O enrichment values	6-5
Table 6.2 Ions identified in the ESI-MS spectra of phosphate and related samples in negative ion mode	6-9